

AKEEBA -RESTAURATION SITE

Microsann'

sous  XAMPP et  Joomla 4

Version : 1.0

SUJET TRAITÉ


IMPORTANT ! La 1ère fois, avant de restaurer le site, il faut récupérer les fichiers `kickstart.php` et `en-Gb.kickstart.ini`.

Dans ce document nous traiterons de la restauration d'un site local (nom du site :J4) à partir d'une archive « .jpa » récupérée sur le même site local

Note : pour restaurer un site distant l'archive « JPA » doit être transférée sur le site distant en utilisant WinSCP

PROCÉDURE

1. Se mettre à la racine du site local (C:/xampp/htdocs/J4)
2. Y copier les trois fichiers :
 - a. `en_GB.kickstart.ini` (28/09/2021)
 - b. `Kickstart.php` (28/09/2021)
 - c. Le fichier de sauvegarde : « `site-localhost-20220209-171229utc-0xD2c4v4-iiVS-et.jpa` »
3. Ouvrir le navigateur, taper dans la barre d'adresse : <http://localhost/J4/kickstart.php>
4. Un message « **Things you should to now about Akeeba Kickstart** » s'affiche
5. Cliquer sur « **Click here** » ou sur la touche « ESC » pour fermer le message
6. La page suivante s'affiche



Vérifier les informations concernant le répertoire de sauvegarde (racine du site distant) et le fichier jpa utilisé

AKEEBA -RESTAURATION SITE

Microsann'

sous  XAMPP et  4.0 Joomla 4

Version : 1.0

7. Cliquer sur « Start » La boîte « 2 » s'affiche

2 Select an extraction method

Write to files:

Ignore most errors

(S)FTP host name:

(S)FTP port:

Use FTP over SSL (FTPS)

Use FTP Passive Mode

(S)FTP user name:

(S)FTP password:

(S)FTP directory:

Temporary directory:

Dans le menu déroulant « Hybrid(use ... », choisir « Directly » la boîte « 2 » se réduit à :

2 Select an extraction method

Write to files:

Ignore most errors

8. La boîte « 3 » s'affiche
Accepter les paramètres par défaut

3 Fine tune

Minimum execution time: seconds per step

Maximum execution time: seconds per step
Increase the minimum to 3 if you get AJAX errors. Increase the maximum to 10 for faster extraction, decrease back to 5 if you get AJAX errors. Try minimum 5, maximum 1 (not a typo!) if you keep getting AJAX errors.

Stealth mode

HTML file to show to web visitors
When enabled, only visitors from your IP address will be able to see the site until the restoration is complete. Everyone else will be redirected to and only see the URL above. Your server must see the real IP of the visitor (this is controlled by your host, not you or us).

Rename server configuration files before extraction
Renames .htaccess, web.config, php.ini and .user.ini contained in the archive while extracting. Files are renamed with a .bak extension. The file names are restored when you click on Clean Up.

Restore file permissions
Applies the file permissions (but NOT file ownership) which was stored at backup time. Only works with JPA and JPS archives. Does not work on Windows (PHP does not offer such a feature).

Files to extract
Enter a file path such as images/cat.png or shell pattern such as images/*.*.png on each line. Only files matching this list will be written to disk. Leave empty to extract everything (default).


AKEEBA -RESTAURATION SITE

Microsann'


sous  XAMPP et  Joomla 4

Version : 1.0

9. La boîte « 4 » s'affiche, cliquer sur start pour lancer l'extraction des fichiers



10. À la fin de l'extraction la boîte « 5 » s'affiche, l'extraction est lancée. **Ne pas fermer cette fenêtre avant la fin de l'extraction.**



11. La boîte « 6 » s'affiche, cliquer sur « Run the installer » pour exécuter le programme d'installation



AKEEBA -RESTAURATION SITE

Microsann'

sous  XAMPP et  Joomla 4

Version : 1.0

12. La première page de restauration s'affiche

Akeeba Backup Site Restoration Script v.9.0.11 Start over Check again Next

1 No idea what you are supposed to do? Don't panic! [Read the documentation page](#) [Watch the tutorial video](#)

[Pre-installation](#) > [Database Restoration](#) > [Site Setup](#) > Finished

Pre-installation check

If any of these items is not supported (marked as No) then please take actions to correct them. Failure to do so could lead to your site not functioning correctly.

Setting	Current
PHP Version >= 7.2.0	<input checked="" type="checkbox"/> Yes
Magic Quotes GPC Off	<input checked="" type="checkbox"/> Yes
Register Globals Off	<input checked="" type="checkbox"/> Yes
Zlib Compression Support	<input checked="" type="checkbox"/> Yes
XML Support	<input checked="" type="checkbox"/> Yes
Database Support	<input checked="" type="checkbox"/> Yes
MB Language is Default	<input checked="" type="checkbox"/> Yes
MB String Overload Off	<input checked="" type="checkbox"/> Yes
INI Parser Support	<input checked="" type="checkbox"/> Yes
JSON Support	<input checked="" type="checkbox"/> Yes
configuration.php Writeable	<input checked="" type="checkbox"/> Yes

Recommended settings

These settings are recommended for PHP in order to ensure full compatibility with your site's software. However, your site should still operate if your settings do not quite match the recommended configuration.

Setting	Recommended	Current
Safe Mode	<input type="checkbox"/> Off	<input checked="" type="checkbox"/> Off
Display Errors	<input type="checkbox"/> Off	<input type="checkbox"/> On
File Uploads	<input type="checkbox"/> On	<input checked="" type="checkbox"/> On
Magic Quotes Runtime	<input type="checkbox"/> Off	<input checked="" type="checkbox"/> Off
Output Buffering	<input type="checkbox"/> Off	<input type="checkbox"/> On
Session Auto Start	<input type="checkbox"/> Off	<input checked="" type="checkbox"/> Off
Native ZIP support	<input type="checkbox"/> On	<input checked="" type="checkbox"/> On

Backup Information

This information was collected at the time of the backup. They represent the configuration of the server and site which was backed up. It is presented here for your reference and for easier debugging.

Setting	At Backup Time
Host name	localhost
Backup date	2022-02-09 17:12:31 UTC
Akeeba Backup version	9.0.11
PHP version	8.0.12
Root directory	C:\xampp\htdocs\J4\

[View README.html](#)

Click the button above to view the README.html file, generated at backup time, containing useful information about your backup.

Site information

This information represents the configuration of the server you are restoring to (the server on which this installer is running)

Joomla! version	4.0.6
PHP version	8.0.12

Copyright ©2006 – 2022 Akeeba Ltd. All rights reserved.
ANGIE is Free Software distributed under the [GNU GPL version 3](#) or any later version published by the FSF.

Dans la table « Recommended settings » ne pas tenir compte des cases orange
Cliquer en haut de page sur « Next »


AKEEBA -RESTAURATION SITE

Microsann'

sous  XAMPP et  4.0 Joomla 4

Version : 1.0

13. La deuxième page de restauration s'affiche



Akeeba Backup Site Restoration Script v9.0.11

← Previous → Skip Restoration → Next

No idea what you are supposed to do? Don't panic! [Read the documentation page](#)

Pre-installation > Database Restoration > Site Setup > Finished

Restoration of site's main database

[? Show / hide help](#)

Connection information

Database type: MySQLi (preferred)

Database server host name: localhost

User name: root

Password: en local ne rien mettre

Database name: joomla_db

Database table name prefix: hmoh5_

Advanced options

With existing tables: Drop

- Select which tables to restore
- Suppress foreign key checks
- No auto value on zero
- Use REPLACE instead of INSERT
- Force UTF-8 collation on database
- Force UTF-8 collation on tables
- Allow UTF8MB4 auto-detection
- Stop on CREATE error
- Stop on other error

Fine tuning

Do not change these settings unless you are requested to do so by our support or you REALLY know what you are doing.

Maximum execution time: 5

Throttle time (msec): 250

Cliquer en haut de page sur « Next »


AKEEBA -RESTAURATION SITE

Microsann'

sous  XAMPP et  Joomla 4

Version : 1.0

14. Le message suivant s'affiche




Database restoration

5.8%

Restored	27.9 KB
Total size	480.47 KB
Estimated time left	6 minutes

En fin de restauration le message suivant s'affiche



Database restoration

✓ The database restoration was successful

Click the button below to proceed to the next step

→ Next step

Cliquer sur « **Next step** »


AKEEBA -RESTAURATION SITE

Microsann'

sous  XAMPP et  4.0 Joomla 4

Version : 1.0

15. La page configuration du site s'affiche



Akeeba Backup Site Restoration Script v3.0.11

← Previous → Next

No idea what you are supposed to do? Don't panic! [Read the documentation page](#)

Pre-installation > Database Restoration > Site Setup > Finished

Show / hide help

Site Parameters

Site name: Voyages

Site e-mail address: **adresse e-mail du site**

Site e-mail sender name: Voyages

Live site URL:

▲ WARNING! Your web server is running on Windows. Filling in the Live site URL when running a site on Windows will make it impossible to log in to your site's administrator area because of a bug in Joomla!. Please leave this box blank.

Force SSL: None

Cookie domain:

Cookie path:

Turn on mail sending: No Yes

Override tmp and log paths

Server-specific configuration files

Files which modify the way your server behaves when serving your site may cause site loading issues when restoring to a new host. Use the options below to reset them to Joomla! defaults.

Remove user.ini and / or php.ini files from the main site directories

Delete the .htaccess and .htpasswd files in the administrator directory

Directories fine-tuning

Site root: C:\xampp\htdocs\J4

Temporary directory: C:\xampp\htdocs\J4\tmp

Log directory: C:\xampp\htdocs\J4\administrator\logs

Super User settings

Super User: jacques

E-mail: **e-mail du site**

Password: **à remplir**

Password (repeat): **à remplir**

Copyright ©2006 – 2022 Akeeba Ltd. All rights reserved.
ANGIE is Free Software distributed under the [GNU GPL version 3](#) or any later version published by the FSF.

Cliquer sur « Next »


AKEEBA -RESTAURATION SITE

Microsann'

sous  XAMPP et  Joomla 4

Version : 1.0


16. La page « **Finished** » du site s'affiche



17. Fermer la fenêtre du navigateur
la boîte de message ci-dessous s'affiche



18. Cliquer le bouton **clean Up**
Notons que les trois fichiers : « en_GB.kickstart.ini », « Kickstart.php », « site-localhost-20220209-171229utc-0xD2c4v4-iIVS-et.jpa » **ont été supprimés** dans le dossier htdocs/J4
19. la boîte de message ci-dessous s'affiche



20. Cliquer le bouton « Visit your site's frontend » pour afficher le site restauré.